

DEBARKER DRUMS – DDG



The machine is an extremely heavy and low maintenance machine. Conceived to debark the largest volume of wood in a short time period.

TECHNICAL FEATURES

The main technical characteristics of Drum Debarkers • Very strong conception, apt to the heaviest duty in the woodyard • Device system with standard transport tires • Debarking treatment adjustable of the different kind of wood • Automatic control system of tires air or nitrogen pressure

BENEFITS

• Very long service time • High debarking performance • Low energy consumption • Very low maintenance costs • Design and dimension according to the special requirement of the customer

BEST IN CLASS FOR:



WOOD BASED PANELS:

PB/SPB


OSB/LSB/FOSB

MDF/HDF



WOOD RECYCLING AND
WASTE TREATMENT:

PAPER MILL



MODEL	OVERALL DIMENSIONS mm ***		
	D	L	N° bogies
DDG.32.08-4	Ø3200	8000	4
DDG.32.10-4	Ø3200	10000	4
DDG.32.12-4	Ø3200	12000	4
DDG.32.15-4	Ø3200	15000	4
DDG.42.20-6	Ø4200	20000	6
DDG.42.25-8	Ø4200	25000	8
DDG.45.30-10	Ø4500	30000	10
DDG.45.35-12	Ø4500	35000	12
DDG.50.30-12	Ø5000	30000	12
DDG.50.35-14	Ø5000	35000	14

MODEL	CAPACITY m³/h Sob		POWER kW
	SOFT WOOD	HARD WOOD	
DDG.32.08-4	30	20	67.5
DDG.32.10-4	40	25	81.5
DDG.32.12-4	50	30	81.5
DDG.32.15-4	70	45	95.5
DDG.42.20-6	150	100	229.5
DDG.42.25-8	200	120	303.5
DDG.45.30-10	280	160	377.5
DDG.45.35-12	350	200	451.5
DDG.50.30-12	350	210	547.5
DDG.50.35-14	400	240	637.5

***According to customer needs